



SEQLIST.TXT

SEQUENCE LISTING

<110> Lee, Sang Yup  
Choi, Jong Gil

<120> DNA CHIP USING CODON SCANNING ALGORITHM

<130> HYLEE55.001AUS

<140> 09/963314  
<141> 2001-09-25

<150> KOREA 10-2000-57208  
<151> 2000-09-29

<160> 20

<170> FastSEQ for windows Version 4.0

<210> 1  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer 1

<400> 1  
gccctgtgac attcttcga 19

<210> 2  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer 2

<400> 2  
gctgctgtta cctttgcca 19

<210> 3  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer 3

<400> 3  
gatgtttgac aagactggca 20

<210> 4  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer 4

<400> 4  
cctctttaca gtatttggtg a 21

<210> 5  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer 5

<400> 5  
caatcgaga cgctgtcaa 19

<210> 6  
<211> 19  
<212> DNA

SEQLIST.TXT

```

<213> Artificial Sequence

<220>
<223> primer 6

<400> 6
ctgtacctgg gtggcaata 19

<210> 7
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> primer 7

<400> 7
taaagggaag aaagtcgcca 20

<210> 8
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> primer 8

<400> 8
gctgcctcga tggccaca 18

<210> 9
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> reporter for normal individual

<400> 9
cagccaccgg cccagg 16

<210> 10
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> reporter for wilson's disease patient

<400> 10
ccagccacag gcccagg 17

<210> 11
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> primer 9

<400> 11
ctacgtctag gagaagcca 19

<210> 12
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> primer 10

<400> 12
gagcacagag ccatgtgca 19

<210> 13
<211> 18
<212> DNA
<213> Artificial Sequence

```

SEQLIST.TXT

<220>  
 <223> primer 11  
  
 <400> 13  
 ctttcacttc acccctct 18  
  
 <210> 14  
 <211> 18  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> primer 12  
  
 <400> 14  
 tgcctggaag tccgtgca 18  
  
 <210> 15  
 <211> 7  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> copper-binding motif  
  
 <221> VARIANT  
 <222> (1)...(7)  
 <223> Xaa = Any Amino Acid  
  
 <400> 15  
 Gly Met Thr Cys Xaa Xaa Cys  
 1 5  
  
 <210> 16  
 <211> 5  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> phosphate domain  
  
 <400> 16  
 Asp Lys Thr Gly Thr  
 1 5  
  
 <210> 17  
 <211> 4  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> ATP binding domain  
  
 <400> 17  
 Thr Gly Asp Asn  
 1  
  
 <210> 18  
 <211> 8  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> hinge region  
  
 <221> VARIANT  
 <222> (1)...(8)  
 <223> Xaa = Any Amino Acid  
  
 <400> 18  
 Met Xaa Gly Asp Xaa Asn Asp Xaa  
 1 5  
  
 <210> 19  
 <211> 4

SEQLIST.TXT

<212> PRT  
<213> Artificial Sequence

<220>  
<223> transduction domain

<400> 19  
Thr Gly Glu Ser  
1

<210> 20  
<211> 4  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> transduction domain

<400> 20  
Thr Gly Glu Ala  
1